

***Women with Pap Test by Age Group and Geography  
Adjusted for Cervical Cancer and Hysterectomy  
for July 1, 2011 to December 31, 2014***

		<i>Age</i> <i>18-20</i>	<i>Age</i> <i>21-24</i>	<i>Age</i> <i>25-29</i>	<i>Age</i> <i>30-39</i>	<i>Age</i> <i>40-49</i>	<i>Age</i> <i>50-59</i>	<i>Age</i> <i>60-69</i>	<i>Age</i> <i>21-69</i>
<b>Winnipeg</b>	<b>Numerator</b>	4635	12397	16702	31890	31822	30157	18746	141714
	<b>Denominator</b>	7250	18738	22443	42181	43514	42544	29584	199004
	<b>Percent</b>	63.9%	66.2%	74.4%	75.6%	73.1%	70.9%	63.4%	71.2%
<b>Assiniboine South</b>	<b>Numerator</b>	249	563	639	1385	1734	1994	1429	7744
	<b>Denominator</b>	351	855	862	1756	2208	2533	1961	10175
	<b>Percent</b>	70.9%	65.8%	74.1%	78.9%	78.5%	78.7%	72.9%	76.1%
<b>Downtown East</b>	<b>Numerator</b>	204	617	844	1206	806	730	460	4663
	<b>Denominator</b>	326	1001	1271	1857	1543	1531	1159	8362
	<b>Percent</b>	62.6%	61.6%	66.4%	64.9%	52.2%	47.7%	39.7%	55.8%
<b>Downtown West</b>	<b>Numerator</b>	208	608	978	1744	1386	1196	643	6555
	<b>Denominator</b>	370	973	1372	2436	2209	2074	1376	10440
	<b>Percent</b>	56.2%	62.5%	71.3%	71.6%	62.7%	57.7%	46.7%	62.8%
<b>Fort Garry North</b>	<b>Numerator</b>	233	575	600	1393	1997	1823	1035	7423
	<b>Denominator</b>	385	917	839	1746	2495	2367	1438	9802
	<b>Percent</b>	60.5%	62.7%	71.5%	79.8%	80.0%	77.0%	72.0%	75.7%
<b>Fort Garry South</b>	<b>Numerator</b>	295	766	1089	2103	2109	1848	1183	9098
	<b>Denominator</b>	474	1223	1506	2701	2801	2447	1699	12377
	<b>Percent</b>	62.2%	62.6%	72.3%	77.9%	75.3%	75.5%	69.6%	73.5%
<b>Inkster East</b>	<b>Numerator</b>	97	215	293	586	553	395	223	2265
	<b>Denominator</b>	159	370	404	848	884	742	461	3709
	<b>Percent</b>	61.0%	58.1%	72.5%	69.1%	62.6%	53.2%	48.4%	61.1%

*Age calculated at first pap or midpoint of time period for those with no pap*

*Based on geography at time of data preparation*

*Includes women in ISIS covered by Manitoba Health at first date of time period*

*Adj. Screened includes women with Manitoba Health pap specimen date within time period,*

*but excludes women with cervical cancer diagnosed prior to first pap test*

*and excludes women with hysterectomy prior to first pap test*

*Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

***Women with Pap Test by Age Group and Geography  
Adjusted for Cervical Cancer and Hysterectomy  
for July 1, 2011 to December 31, 2014***

		<i>Age 18-20</i>	<i>Age 21-24</i>	<i>Age 25-29</i>	<i>Age 30-39</i>	<i>Age 40-49</i>	<i>Age 50-59</i>	<i>Age 60-69</i>	<i>Age 21-69</i>
<b><i>Inkster West</i></b>	<b>Numerator</b>	97	229	329	655	644	710	364	2931
	<b>Denominator</b>	194	462	492	1003	1021	1065	651	4694
	<b>Percent</b>	50.0%	49.6%	66.9%	65.3%	63.1%	66.7%	55.9%	62.4%
<b><i>Point Douglas North</i></b>	<b>Numerator</b>	212	452	625	1228	1126	796	416	4643
	<b>Denominator</b>	326	718	883	1731	1785	1461	888	7466
	<b>Percent</b>	65.0%	63.0%	70.8%	70.9%	63.1%	54.5%	46.8%	62.2%
<b><i>Point Douglas South</i></b>	<b>Numerator</b>	108	209	253	414	388	262	125	1651
	<b>Denominator</b>	165	342	383	669	695	568	329	2986
	<b>Percent</b>	65.5%	61.1%	66.1%	61.9%	55.8%	46.1%	38.0%	55.3%
<b><i>River East East</i></b>	<b>Numerator</b>	189	480	682	1397	1391	1350	769	6069
	<b>Denominator</b>	305	740	917	1805	1875	1858	1237	8432
	<b>Percent</b>	62.0%	64.9%	74.4%	77.4%	74.2%	72.7%	62.2%	72.0%
<b><i>River East West</i></b>	<b>Numerator</b>	227	721	895	1598	1615	1810	1262	7901
	<b>Denominator</b>	346	1056	1138	2049	2150	2478	1949	10820
	<b>Percent</b>	65.6%	68.3%	78.6%	78.0%	75.1%	73.0%	64.8%	73.0%
<b><i>River East North</i></b>	<b>Numerator</b>	85	159	127	395	614	647	352	2294
	<b>Denominator</b>	132	239	171	473	737	779	475	2874
	<b>Percent</b>	64.4%	66.5%	74.3%	83.5%	83.3%	83.1%	74.1%	79.8%
<b><i>River East South</i></b>	<b>Numerator</b>	152	373	524	807	637	550	283	3174
	<b>Denominator</b>	217	529	696	1148	1001	920	539	4833
	<b>Percent</b>	70.0%	70.5%	75.3%	70.3%	63.6%	59.8%	52.5%	65.7%

*Age calculated at first pap or midpoint of time period for those with no pap*

*Based on geography at time of data preparation*

*Includes women in ISIS covered by Manitoba Health at first date of time period*

*Adj. Screened includes women with Manitoba Health pap specimen date within time period,*

*but excludes women with cervical cancer diagnosed prior to first pap test*

*and excludes women with hysterectomy prior to first pap test*

*Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

***Women with Pap Test by Age Group and Geography  
Adjusted for Cervical Cancer and Hysterectomy  
for July 1, 2011 to December 31, 2014***

		<i>Age</i> <b>18-20</b>	<i>Age</i> <b>21-24</b>	<i>Age</i> <b>25-29</b>	<i>Age</i> <b>30-39</b>	<i>Age</i> <b>40-49</b>	<i>Age</i> <b>50-59</b>	<i>Age</i> <b>60-69</b>	<i>Age</i> <b>21-69</b>
<b><i>River Heights East</i></b>	<b>Numerator</b>	165	629	874	1109	717	870	666	4865
	<b>Denominator</b>	235	852	1105	1477	993	1206	1019	6652
	<b>Percent</b>	70.2%	73.8%	79.1%	75.1%	72.2%	72.1%	65.4%	73.1%
<b><i>River Heights West</i></b>	<b>Numerator</b>	223	746	970	1808	1897	1745	1130	8296
	<b>Denominator</b>	330	1056	1253	2307	2418	2315	1658	11007
	<b>Percent</b>	67.6%	70.6%	77.4%	78.4%	78.5%	75.4%	68.2%	75.4%
<b><i>St. Boniface East</i></b>	<b>Numerator</b>	295	746	953	2385	2351	1972	1248	9655
	<b>Denominator</b>	428	1039	1218	2901	2960	2495	1762	12375
	<b>Percent</b>	68.9%	71.8%	78.2%	82.2%	79.4%	79.0%	70.8%	78.0%
<b><i>St. Boniface West</i></b>	<b>Numerator</b>	105	364	460	692	646	694	441	3297
	<b>Denominator</b>	154	498	599	911	878	974	686	4546
	<b>Percent</b>	68.2%	73.1%	76.8%	76.0%	73.6%	71.3%	64.3%	72.5%
<b><i>St. James - Assiniboia East</i></b>	<b>Numerator</b>	181	483	747	1248	1216	1220	711	5625
	<b>Denominator</b>	266	684	950	1602	1665	1702	1097	7700
	<b>Percent</b>	68.0%	70.6%	78.6%	77.9%	73.0%	71.7%	64.8%	73.1%
<b><i>St. James - Assiniboia West</i></b>	<b>Numerator</b>	242	557	764	1407	1642	1508	1158	7036
	<b>Denominator</b>	350	793	996	1821	2122	2043	1631	9406
	<b>Percent</b>	69.1%	70.2%	76.7%	77.3%	77.4%	73.8%	71.0%	74.8%
<b><i>St. Vital North</i></b>	<b>Numerator</b>	175	514	705	1126	1146	1129	848	5468
	<b>Denominator</b>	256	729	896	1505	1500	1577	1284	7491
	<b>Percent</b>	68.4%	70.5%	78.7%	74.8%	76.4%	71.6%	66.0%	73.0%

*Age calculated at first pap or midpoint of time period for those with no pap  
Based on geography at time of data preparation  
Includes women in ISIS covered by Manitoba Health at first date of time period  
Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
but excludes women with cervical cancer diagnosed prior to first pap test  
and excludes women with hysterectomy prior to first pap test*

*Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

***Women with Pap Test by Age Group and Geography  
Adjusted for Cervical Cancer and Hysterectomy  
for July 1, 2011 to December 31, 2014***

		<i>Age 18-20</i>	<i>Age 21-24</i>	<i>Age 25-29</i>	<i>Age 30-39</i>	<i>Age 40-49</i>	<i>Age 50-59</i>	<i>Age 60-69</i>	<i>Age 21-69</i>
<b>St. Vital South</b>	<b>Numerator</b>	272	725	897	1967	2264	2357	1366	9576
	<b>Denominator</b>	425	1030	1153	2450	2767	2919	1903	12222
	<b>Percent</b>	64.0%	70.4%	77.8%	80.3%	81.8%	80.7%	71.8%	78.4%
<b>Seven Oaks East</b>	<b>Numerator</b>	205	555	795	1806	1710	1702	949	7517
	<b>Denominator</b>	356	888	1100	2434	2402	2466	1639	10929
	<b>Percent</b>	57.6%	62.5%	72.3%	74.2%	71.2%	69.0%	57.9%	68.8%
<b>Seven Oaks West</b>	<b>Numerator</b>	91	330	514	1157	1050	919	621	4591
	<b>Denominator</b>	224	676	801	1721	1628	1453	1144	7423
	<b>Percent</b>	40.6%	48.8%	64.2%	67.2%	64.5%	63.2%	54.3%	61.8%
<b>Seven Oaks North</b>	<b>Numerator</b>	34	55	93	230	313	285	153	1129
	<b>Denominator</b>	53	90	128	285	376	358	229	1466
	<b>Percent</b>	64.2%	61.1%	72.7%	80.7%	83.2%	79.6%	66.8%	77.0%
<b>Transcona</b>	<b>Numerator</b>	291	726	1052	2044	1870	1645	911	8248
	<b>Denominator</b>	423	978	1310	2545	2401	2213	1370	10817
	<b>Percent</b>	68.8%	74.2%	80.3%	80.3%	77.9%	74.3%	66.5%	76.3%
<b>All other Manitoba</b>	<b>Numerator</b>	4192	10047	12226	22093	21435	20234	12486	98521
	<b>Denominator</b>	6188	14384	15967	29791	30715	29673	20342	140872
	<b>Percent</b>	67.7%	69.8%	76.6%	74.2%	69.8%	68.2%	61.4%	69.9%
<b>Selkirk</b>	<b>Numerator</b>	80	192	223	363	476	411	286	1951
	<b>Denominator</b>	111	253	269	461	619	580	450	2632
	<b>Percent</b>	72.1%	75.9%	82.9%	78.7%	76.9%	70.9%	63.6%	74.1%

*Age calculated at first pap or midpoint of time period for those with no pap*

*Based on geography at time of data preparation*

*Includes women in ISIS covered by Manitoba Health at first date of time period*

*Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
but excludes women with cervical cancer diagnosed prior to first pap test*

and excludes women with hysterectomy prior to first pap test  
 Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period

## *Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014*

		<i>Age</i> <i>18-20</i>	<i>Age</i> <i>21-24</i>	<i>Age</i> <i>25-29</i>	<i>Age</i> <i>30-39</i>	<i>Age</i> <i>40-49</i>	<i>Age</i> <i>50-59</i>	<i>Age</i> <i>60-69</i>	<i>Age</i> <i>21-69</i>
<b>Stonewall/ Teulon</b>	<b>Numerator</b>	120	354	435	855	977	895	496	4012
	<b>Denominator</b>	182	479	518	1056	1270	1203	773	5299
	<b>Percent</b>	65.9%	73.9%	84.0%	81.0%	76.9%	74.4%	64.2%	75.7%
<b>Wpg Beach/ St. Andrews</b>	<b>Numerator</b>	102	259	288	686	995	945	552	3725
	<b>Denominator</b>	159	357	386	836	1252	1237	815	4883
	<b>Percent</b>	64.2%	72.5%	74.6%	82.1%	79.5%	76.4%	67.7%	76.3%
<b>St. Clements</b>	<b>Numerator</b>	48	136	146	342	498	446	283	1851
	<b>Denominator</b>	73	164	182	422	630	596	418	2412
	<b>Percent</b>	65.8%	82.9%	80.2%	81.0%	79.0%	74.8%	67.7%	76.7%
<b>Springfield</b>	<b>Numerator</b>	92	215	313	716	819	719	409	3191
	<b>Denominator</b>	144	319	387	860	1018	916	591	4091
	<b>Percent</b>	63.9%	67.4%	80.9%	83.3%	80.5%	78.5%	69.2%	78.0%
<b>Beausejour</b>	<b>Numerator</b>	62	148	206	371	382	395	224	1726
	<b>Denominator</b>	84	199	236	480	480	527	345	2267
	<b>Percent</b>	73.8%	74.4%	87.3%	77.3%	79.6%	75.0%	64.9%	76.1%
<b>Pinawa/ Lac Du Bonnet</b>	<b>Numerator</b>	40	78	82	178	312	437	427	1514
	<b>Denominator</b>	51	107	108	239	410	609	648	2121
	<b>Percent</b>	78.4%	72.9%	75.9%	74.5%	76.1%	71.8%	65.9%	71.4%
<b>Whiteshell</b>	<b>Numerator</b>	20	40	51	82	131	153	120	577
	<b>Denominator</b>	31	66	73	119	167	214	181	820
	<b>Percent</b>	64.5%	60.6%	69.9%	68.9%	78.4%	71.5%	66.3%	70.4%

*Age calculated at first pap or midpoint of time period for those with no pap*

*Based on geography at time of data preparation*

*Includes women in ISIS covered by Manitoba Health at first date of time period*

*Adj. Screened includes women with Manitoba Health pap specimen date within time period,*

*but excludes women with cervical cancer diagnosed prior to first pap test  
and excludes women with hysterectomy prior to first pap test  
Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## *Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014*

		<i>Age 18-20</i>	<i>Age 21-24</i>	<i>Age 25-29</i>	<i>Age 30-39</i>	<i>Age 40-49</i>	<i>Age 50-59</i>	<i>Age 60-69</i>	<i>Age 21-69</i>
<b>Gimli</b>	<b>Numerator</b>	18	58	41	103	170	253	225	850
	<b>Denominator</b>	25	65	54	137	213	322	322	1113
	<b>Percent</b>	72.0%	89.2%	75.9%	75.2%	79.8%	78.6%	69.9%	76.4%
<b>Arborg/ Riverton</b>	<b>Numerator</b>	24	84	103	160	161	185	131	824
	<b>Denominator</b>	44	127	138	224	242	269	206	1206
	<b>Percent</b>	54.5%	66.1%	74.6%	71.4%	66.5%	68.8%	63.6%	68.3%
<b>St. Laurent</b>	<b>Numerator</b>	30	63	67	110	148	184	113	685
	<b>Denominator</b>	47	84	89	168	218	276	207	1042
	<b>Percent</b>	63.8%	75.0%	75.3%	65.5%	67.9%	66.7%	54.6%	65.7%
<b>Powerview/ Pine Falls</b>	<b>Numerator</b>	53	132	128	208	187	151	75	881
	<b>Denominator</b>	74	189	187	333	319	293	168	1489
	<b>Percent</b>	71.6%	69.8%	68.4%	62.5%	58.6%	51.5%	44.6%	59.2%
<b>Fisher/ Peguis</b>	<b>Numerator</b>	88	141	154	241	285	246	95	1162
	<b>Denominator</b>	115	198	206	351	431	382	208	1776
	<b>Percent</b>	76.5%	71.2%	74.8%	68.7%	66.1%	64.4%	45.7%	65.4%
<b>Eriksdale/ Ashern</b>	<b>Numerator</b>	60	127	112	186	228	209	138	1000
	<b>Denominator</b>	86	185	166	286	368	327	235	1567
	<b>Percent</b>	69.8%	68.6%	67.5%	65.0%	62.0%	63.9%	58.7%	63.8%
<b>Northern Remote</b>	<b>Numerator</b>	54	101	107	139	95	54	13	509
	<b>Denominator</b>	67	139	139	204	192	121	49	844
	<b>Percent</b>	80.6%	72.7%	77.0%	68.1%	49.5%	44.6%	26.5%	60.3%

*Age calculated at first pap or midpoint of time period for those with no pap  
Based on geography at time of data preparation  
Includes women in ISIS covered by Manitoba Health at first date of time period*

*Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
but excludes women with cervical cancer diagnosed prior to first pap test  
and excludes women with hysterectomy prior to first pap test  
Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## *Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014*

		<i>Age 18-20</i>	<i>Age 21-24</i>	<i>Age 25-29</i>	<i>Age 30-39</i>	<i>Age 40-49</i>	<i>Age 50-59</i>	<i>Age 60-69</i>	<i>Age 21-69</i>
<b><i>Flin Flon/ Snow Lake/ Cranberry/ Sherridon</i></b>	<b>Numerator</b>	72	181	243	408	359	291	138	1620
	<b>Denominator</b>	123	278	333	605	585	540	323	2664
	<b>Percent</b>	58.5%	65.1%	73.0%	67.4%	61.4%	53.9%	42.7%	60.8%
<b><i>The Pas/ OCN/ Kelsey</i></b>	<b>Numerator</b>	60	101	130	247	247	333	155	1213
	<b>Denominator</b>	101	155	182	386	415	545	311	1994
	<b>Percent</b>	59.4%	65.2%	71.4%	64.0%	59.5%	61.1%	49.8%	60.8%
<b><i>Lynn/ MC FN/ Leaf/ O-P FN (SIL)/ PN FN (Granville)</i></b>	<b>Numerator</b>	13	22	32	43	23	22	10	152
	<b>Denominator</b>	15	25	41	59	46	49	29	249
	<b>Percent</b>	86.7%	88.0%	78.0%	72.9%	50.0%	44.9%	34.5%	61.0%
<b><i>Thompson/ Mystery Lake</i></b>	<b>Numerator</b>	122	246	355	583	587	359	147	2277
	<b>Denominator</b>	164	352	443	780	834	540	278	3227
	<b>Percent</b>	74.4%	69.9%	80.1%	74.7%	70.4%	66.5%	52.9%	70.6%
<b><i>Bay Line</i></b>	<b>Numerator</b>	7	19	16	43	28	30	14	150
	<b>Denominator</b>	10	20	21	57	50	59	34	241
	<b>Percent</b>	70.0%	95.0%	76.2%	75.4%	56.0%	50.8%	41.2%	62.2%
<b><i>Gillam/ Fox Lake CN</i></b>	<b>Numerator</b>	18	24	55	94	56	53	10	292
	<b>Denominator</b>	21	35	69	110	78	79	26	397
	<b>Percent</b>	85.7%	68.6%	79.7%	85.5%	71.8%	67.1%	38.5%	73.6%
<b><i>GR/ Misipawistik CN/ ML/ Mosakahiken CN/ Eas/ Chemawawin FN</i></b>	<b>Numerator</b>	54	104	82	124	109	51	12	482
	<b>Denominator</b>	68	129	108	203	231	129	50	850
	<b>Percent</b>	79.4%	80.6%	75.9%	61.1%	47.2%	39.5%	24.0%	56.7%

*Age calculated at first pap or midpoint of time period for those with no pap  
Based on geography at time of data preparation*

*Includes women in ISIS covered by Manitoba Health at first date of time period  
Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
but excludes women with cervical cancer diagnosed prior to first pap test  
and excludes women with hysterectomy prior to first pap test  
Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## ***Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014***

		<i>Age</i>							
		<i>18-20</i>	<i>21-24</i>	<i>25-29</i>	<i>30-39</i>	<i>40-49</i>	<i>50-59</i>	<i>60-69</i>	<i>21-69</i>
<b><i>Pukatawagan/ Mathias Colomb CN</i></b>	<b>Numerator</b>	29	89	73	82	73	35	6	358
	<b>Denominator</b>	40	117	88	133	112	70	18	538
	<b>Percent</b>	72.5%	76.1%	83.0%	61.7%	65.2%	50.0%	33.3%	66.5%
<b><i>Sayisi Dene/ Tadoule/ Barren Lands/ Brochet/ Northlands/ Lac Br</i></b>	<b>Numerator</b>	34	64	58	82	76	29	7	316
	<b>Denominator</b>	42	76	69	106	109	54	34	448
	<b>Percent</b>	81.0%	84.2%	84.1%	77.4%	69.7%	53.7%	20.6%	70.5%
<b><i>Nelson House/ Nisichawayasihk Cree Nation</i></b>	<b>Numerator</b>	60	100	93	127	104	32	13	469
	<b>Denominator</b>	74	128	115	185	201	76	46	751
	<b>Percent</b>	81.1%	78.1%	80.9%	68.6%	51.7%	42.1%	28.3%	62.5%
<b><i>Shamattawa FN/ York Factory FN/ Tataskweyak CN/ Split Lake</i></b>	<b>Numerator</b>	57	111	82	164	128	75	15	575
	<b>Denominator</b>	75	163	115	249	228	130	56	941
	<b>Percent</b>	76.0%	68.1%	71.3%	65.9%	56.1%	57.7%	26.8%	61.1%
<b><i>Bunibonibee/ Oxford House/ Manto Sipi/ God's River/ God's Lake</i></b>	<b>Numerator</b>	64	132	131	172	105	39	26	605
	<b>Denominator</b>	86	191	177	263	197	105	66	999
	<b>Percent</b>	74.4%	69.1%	74.0%	65.4%	53.3%	37.1%	39.4%	60.6%
<b><i>Cross Lake/ Pimicikamak CN</i></b>	<b>Numerator</b>	76	130	154	240	182	87	16	809
	<b>Denominator</b>	100	189	191	312	281	182	66	1221
	<b>Percent</b>	76.0%	68.8%	80.6%	76.9%	64.8%	47.8%	24.2%	66.3%
<b><i>Norway House/ Norway House CN</i></b>	<b>Numerator</b>	71	141	165	245	179	89	23	842
	<b>Denominator</b>	99	201	222	336	302	202	90	1353
	<b>Percent</b>	71.7%	70.1%	74.3%	72.9%	59.3%	44.1%	25.6%	62.2%

*Age calculated at first pap or midpoint of time period for those with no pap*

*Based on geography at time of data preparation  
Includes women in ISIS covered by Manitoba Health at first date of time period  
Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
but excludes women with cervical cancer diagnosed prior to first pap test  
and excludes women with hysterectomy prior to first pap test  
Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## ***Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014***

		<i>Age 18-20</i>	<i>Age 21-24</i>	<i>Age 25-29</i>	<i>Age 30-39</i>	<i>Age 40-49</i>	<i>Age 50-59</i>	<i>Age 60-69</i>	<i>Age 21-69</i>
<b><i>Island Lake</i></b>	<b>Numerator</b>	98	216	209	269	158	57	22	931
	<b>Denominator</b>	152	306	307	480	364	221	115	1793
	<b>Percent</b>	64.5%	70.6%	68.1%	56.0%	43.4%	25.8%	19.1%	51.9%
<b><i>Seven Regions</i></b>	<b>Numerator</b>	86	156	156	209	226	178	103	1028
	<b>Denominator</b>	106	207	204	323	394	300	185	1613
	<b>Percent</b>	81.1%	75.4%	76.5%	64.7%	57.4%	59.3%	55.7%	63.7%
<b><i>Macgregor</i></b>	<b>Numerator</b>	31	60	82	179	151	150	84	706
	<b>Denominator</b>	47	90	110	252	216	219	148	1035
	<b>Percent</b>	66.0%	66.7%	74.5%	71.0%	69.9%	68.5%	56.8%	68.2%
<b><i>Rural Portage</i></b>	<b>Numerator</b>	53	125	151	288	233	268	157	1222
	<b>Denominator</b>	81	204	211	398	379	426	266	1884
	<b>Percent</b>	65.4%	61.3%	71.6%	72.4%	61.5%	62.9%	59.0%	64.9%
<b><i>Cartier/ St. Francis Xavier</i></b>	<b>Numerator</b>	48	106	150	377	406	366	189	1594
	<b>Denominator</b>	77	165	196	445	505	475	254	2040
	<b>Percent</b>	62.3%	64.2%	76.5%	84.7%	80.4%	77.1%	74.4%	78.1%
<b><i>City of Portage La Prairie</i></b>	<b>Numerator</b>	117	269	288	566	517	528	322	2490
	<b>Denominator</b>	163	375	380	764	774	857	582	3732
	<b>Percent</b>	71.8%	71.7%	75.8%	74.1%	66.8%	61.6%	55.3%	66.7%
<b><i>Notre Dame/ St Claude</i></b>	<b>Numerator</b>	26	83	84	142	159	166	96	730
	<b>Denominator</b>	39	111	105	174	215	223	137	965
	<b>Percent</b>	66.7%	74.8%	80.0%	81.6%	74.0%	74.4%	70.1%	75.6%

*Age calculated at first pap or midpoint of time period for those with no pap*  
*Based on geography at time of data preparation*  
*Includes women in ISIS covered by Manitoba Health at first date of time period*  
*Adj. Screened includes women with Manitoba Health pap specimen date within time period,*  
*but excludes women with cervical cancer diagnosed prior to first pap test*  
*and excludes women with hysterectomy prior to first pap test*  
*Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## ***Women with Pap Test by Age Group and Geography*** ***Adjusted for Cervical Cancer and Hysterectomy*** ***for July 1, 2011 to December 31, 2014***

		<i>Age</i>							
		<i>18-20</i>	<i>21-24</i>	<i>25-29</i>	<i>30-39</i>	<i>40-49</i>	<i>50-59</i>	<i>60-69</i>	<i>21-69</i>
<b>Carman</b>	<b>Numerator</b>	30	72	128	215	178	224	166	983
	<b>Denominator</b>	43	119	168	277	258	313	242	1377
	<b>Percent</b>	69.8%	60.5%	76.2%	77.6%	69.0%	71.6%	68.6%	71.4%
<b>Macdonald</b>	<b>Numerator</b>	49	113	148	396	460	346	178	1641
	<b>Denominator</b>	78	147	173	464	537	419	240	1980
	<b>Percent</b>	62.8%	76.9%	85.5%	85.3%	85.7%	82.6%	74.2%	82.9%
<b>Morris</b>	<b>Numerator</b>	29	77	119	209	207	198	107	917
	<b>Denominator</b>	56	132	156	273	282	262	155	1260
	<b>Percent</b>	51.8%	58.3%	76.3%	76.6%	73.4%	75.6%	69.0%	72.8%
<b>St. Pierre</b>	<b>Numerator</b>	21	80	114	185	166	189	128	862
	<b>Denominator</b>	36	108	138	231	209	250	172	1108
	<b>Percent</b>	58.3%	74.1%	82.6%	80.1%	79.4%	75.6%	74.4%	77.8%
<b>Red River South</b>	<b>Numerator</b>	27	86	89	171	159	188	103	796
	<b>Denominator</b>	46	125	119	241	246	283	177	1191
	<b>Percent</b>	58.7%	68.8%	74.8%	71.0%	64.6%	66.4%	58.2%	66.8%
<b>Lorne/ Louise/ Pembina</b>	<b>Numerator</b>	46	95	150	245	235	294	221	1240
	<b>Denominator</b>	79	158	194	327	365	409	331	1784
	<b>Percent</b>	58.2%	60.1%	77.3%	74.9%	64.4%	71.9%	66.8%	69.5%
<b>Stanley</b>	<b>Numerator</b>	14	58	90	184	224	179	74	809
	<b>Denominator</b>	63	140	139	301	352	282	120	1334
	<b>Percent</b>	22.2%	41.4%	64.7%	61.1%	63.6%	63.5%	61.7%	60.6%

*Age calculated at first pap or midpoint of time period for those with no pap*  
*Based on geography at time of data preparation*  
*Includes women in ISIS covered by Manitoba Health at first date of time period*  
*Adj. Screened includes women with Manitoba Health pap specimen date within time period,*  
*but excludes women with cervical cancer diagnosed prior to first pap test*  
*and excludes women with hysterectomy prior to first pap test*  
*Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## ***Women with Pap Test by Age Group and Geography*** ***Adjusted for Cervical Cancer and Hysterectomy*** ***for July 1, 2011 to December 31, 2014***

		<i>Age</i>							
		<i>18-20</i>	<i>21-24</i>	<i>25-29</i>	<i>30-39</i>	<i>40-49</i>	<i>50-59</i>	<i>60-69</i>	<i>21-69</i>
<b><i>Altona</i></b>	<b>Numerator</b>	36	136	190	376	347	286	186	1521
	<b>Denominator</b>	94	254	262	529	494	429	285	2253
	<b>Percent</b>	38.3%	53.5%	72.5%	71.1%	70.2%	66.7%	65.3%	67.5%
<b><i>Morden</i></b>	<b>Numerator</b>	52	163	213	436	341	322	252	1727
	<b>Denominator</b>	93	265	280	570	507	457	376	2455
	<b>Percent</b>	55.9%	61.5%	76.1%	76.5%	67.3%	70.5%	67.0%	70.3%
<b><i>Winkler</i></b>	<b>Numerator</b>	81	261	339	563	481	397	247	2288
	<b>Denominator</b>	166	439	510	863	752	632	404	3600
	<b>Percent</b>	48.8%	59.5%	66.5%	65.2%	64.0%	62.8%	61.1%	63.6%
<b><i>Roland/ Thompson</i></b>	<b>Numerator</b>	11	31	37	83	63	80	48	342
	<b>Denominator</b>	17	52	62	118	98	117	70	517
	<b>Percent</b>	64.7%	59.6%	59.7%	70.3%	64.3%	68.4%	68.6%	66.2%
<b><i>Niverville/ Richot</i></b>	<b>Numerator</b>	77	260	415	709	564	456	240	2644
	<b>Denominator</b>	110	324	498	858	719	580	314	3293
	<b>Percent</b>	70.0%	80.2%	83.3%	82.6%	78.4%	78.6%	76.4%	80.3%
<b><i>Tache</i></b>	<b>Numerator</b>	72	153	243	549	473	376	176	1970
	<b>Denominator</b>	114	216	295	651	598	486	269	2515
	<b>Percent</b>	63.2%	70.8%	82.4%	84.3%	79.1%	77.4%	65.4%	78.3%
<b><i>Ste Anne/ La Broquerie</i></b>	<b>Numerator</b>	66	216	303	524	450	374	239	2106
	<b>Denominator</b>	103	288	353	657	577	517	364	2756

Percent 64.1% 75.0% 85.8% 79.8% 78.0% 72.3% 65.7% 76.4%

*Age calculated at first pap or midpoint of time period for those with no pap  
 Based on geography at time of data preparation  
 Includes women in ISIS covered by Manitoba Health at first date of time period  
 Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
 but excludes women with cervical cancer diagnosed prior to first pap test  
 and excludes women with hysterectomy prior to first pap test  
 Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

***Women with Pap Test by Age Group and Geography  
 Adjusted for Cervical Cancer and Hysterectomy  
 for July 1, 2011 to December 31, 2014***

		<i>Age</i>							
		<i>18-20</i>	<i>21-24</i>	<i>25-29</i>	<i>30-39</i>	<i>40-49</i>	<i>50-59</i>	<i>60-69</i>	<i>21-69</i>
<b>Steinbach</b>	<b>Numerator</b>	151	400	477	859	748	608	372	3464
	<b>Denominator</b>	236	603	621	1167	1026	838	585	4840
	<b>Percent</b>	64.0%	66.3%	76.8%	73.6%	72.9%	72.6%	63.6%	71.6%
<b>Hanover</b>	<b>Numerator</b>	68	255	327	561	496	352	187	2178
	<b>Denominator</b>	128	371	411	724	662	487	272	2927
	<b>Percent</b>	53.1%	68.7%	79.6%	77.5%	74.9%	72.3%	68.8%	74.4%
<b>Rural East</b>	<b>Numerator</b>	20	52	71	112	130	181	126	672
	<b>Denominator</b>	34	82	105	173	177	272	224	1033
	<b>Percent</b>	58.8%	63.4%	67.6%	64.7%	73.4%	66.5%	56.3%	65.1%
<b>Duck Mountain</b>	<b>Numerator</b>	34	73	89	158	160	202	187	869
	<b>Denominator</b>	55	112	120	224	270	298	297	1321
	<b>Percent</b>	61.8%	65.2%	74.2%	70.5%	59.3%	67.8%	63.0%	65.8%
<b>Porcupine Mountain</b>	<b>Numerator</b>	84	154	175	267	261	259	158	1274
	<b>Denominator</b>	112	253	249	456	507	522	386	2373
	<b>Percent</b>	75.0%	60.9%	70.3%	58.6%	51.5%	49.6%	40.9%	53.7%
<b>Riding Mountain</b>	<b>Numerator</b>	23	67	92	158	211	237	160	925
	<b>Denominator</b>	28	92	113	223	291	332	274	1325
	<b>Percent</b>	82.1%	72.8%	81.4%	70.9%	72.5%	71.4%	58.4%	69.8%
<b>Agassiz Mountain</b>	<b>Numerator</b>	80	134	135	267	252	260	182	1230

<b>Denominator</b>	108	171	181	373	384	402	315	1826
<b>Percent</b>	74.1%	78.4%	74.6%	71.6%	65.6%	64.7%	57.8%	67.4%

*Age calculated at first pap or midpoint of time period for those with no pap  
Based on geography at time of data preparation  
Includes women in ISIS covered by Manitoba Health at first date of time period  
Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
but excludes women with cervical cancer diagnosed prior to first pap test  
and excludes women with hysterectomy prior to first pap test  
Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## *Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014*

		<i>Age 18-20</i>	<i>Age 21-24</i>	<i>Age 25-29</i>	<i>Age 30-39</i>	<i>Age 40-49</i>	<i>Age 50-59</i>	<i>Age 60-69</i>	<i>Age 21-69</i>
<b>Dauphin</b>	<b>Numerator</b>	55	140	166	342	293	333	250	1524
	<b>Denominator</b>	74	184	219	456	439	494	427	2219
	<b>Percent</b>	74.3%	76.1%	75.8%	75.0%	66.7%	67.4%	58.5%	68.7%
<b>Swan River</b>	<b>Numerator</b>	29	61	71	148	156	162	111	709
	<b>Denominator</b>	50	109	111	251	288	310	252	1321
	<b>Percent</b>	58.0%	56.0%	64.0%	59.0%	54.2%	52.3%	44.0%	53.7%
<b>Brandon West End</b>	<b>Numerator</b>	138	359	402	811	672	688	463	3395
	<b>Denominator</b>	191	481	493	988	846	847	616	4271
	<b>Percent</b>	72.3%	74.6%	81.5%	82.1%	79.4%	81.2%	75.2%	79.5%
<b>Brandon North Hill</b>	<b>Numerator</b>	61	152	182	334	288	323	248	1527
	<b>Denominator</b>	75	201	233	407	394	425	336	1996
	<b>Percent</b>	81.3%	75.6%	78.1%	82.1%	73.1%	76.0%	73.8%	76.5%
<b>Brandon Downtown</b>	<b>Numerator</b>	96	270	297	489	355	298	167	1876
	<b>Denominator</b>	123	369	376	633	513	444	286	2621
	<b>Percent</b>	78.0%	73.2%	79.0%	77.3%	69.2%	67.1%	58.4%	71.6%
<b>Brandon South End</b>	<b>Numerator</b>	75	177	236	470	404	429	262	1978
	<b>Denominator</b>	102	260	311	592	540	559	360	2622
	<b>Percent</b>	73.5%	68.1%	75.9%	79.4%	74.8%	76.7%	72.8%	75.4%

**Brandon East End**

<b>Numerator</b>	63	155	206	283	230	195	139	1208
<b>Denominator</b>	78	192	260	362	306	263	194	1577
<b>Percent</b>	80.8%	80.7%	79.2%	78.2%	75.2%	74.1%	71.6%	76.6%

*Age calculated at first pap or midpoint of time period for those with no pap*

*Based on geography at time of data preparation*

*Includes women in ISIS covered by Manitoba Health at first date of time period*

*Adj. Screened includes women with Manitoba Health pap specimen date within time period,*

*but excludes women with cervical cancer diagnosed prior to first pap test*

*and excludes women with hysterectomy prior to first pap test*

*Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

## **Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014**

		<i>Age</i> <b>18-20</b>	<i>Age</i> <b>21-24</b>	<i>Age</i> <b>25-29</b>	<i>Age</i> <b>30-39</b>	<i>Age</i> <b>40-49</b>	<i>Age</i> <b>50-59</b>	<i>Age</i> <b>60-69</b>	<i>Age</i> <b>21-69</b>
<b>Asessippi</b>	<b>Numerator</b>	82	167	187	327	342	393	233	1649
	<b>Denominator</b>	109	257	281	525	622	709	513	2907
	<b>Percent</b>	75.2%	65.0%	66.5%	62.3%	55.0%	55.4%	45.4%	56.7%
<b>Little Saskatchewan</b>	<b>Numerator</b>	95	195	235	431	393	534	330	2118
	<b>Denominator</b>	133	251	305	567	575	775	562	3035
	<b>Percent</b>	71.4%	77.7%	77.0%	76.0%	68.3%	68.9%	58.7%	69.8%
<b>Turtle Mountain</b>	<b>Numerator</b>	67	161	189	347	359	414	305	1775
	<b>Denominator</b>	99	227	244	483	505	616	464	2539
	<b>Percent</b>	67.7%	70.9%	77.5%	71.8%	71.1%	67.2%	65.7%	69.9%
<b>Souris River</b>	<b>Numerator</b>	119	255	333	480	463	539	366	2436
	<b>Denominator</b>	164	363	455	718	745	844	628	3753
	<b>Percent</b>	72.6%	70.2%	73.2%	66.9%	62.1%	63.9%	58.3%	64.9%
<b>Whitemud</b>	<b>Numerator</b>	60	160	210	417	374	426	352	1939
	<b>Denominator</b>	90	221	274	564	539	623	484	2705
	<b>Percent</b>	66.7%	72.4%	76.6%	73.9%	69.4%	68.4%	72.7%	71.7%
<b>Spruce Woods</b>	<b>Numerator</b>	87	240	302	516	499	539	363	2459
	<b>Denominator</b>	117	351	405	690	696	760	600	3502
	<b>Percent</b>	74.4%	68.4%	74.6%	74.8%	71.7%	70.9%	60.5%	70.2%

Winnipeg - Urban

<b>Numerator</b>	0	0	0	0	0	0	0	0
<b>Denominator</b>	0	0	0	0	0	0	0	0
<b>Percent</b>	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

*Age calculated at first pap or midpoint of time period for those with no pap  
 Based on geography at time of data preparation  
 Includes women in ISIS covered by Manitoba Health at first date of time period  
 Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
 but excludes women with cervical cancer diagnosed prior to first pap test  
 and excludes women with hysterectomy prior to first pap test  
 Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*

### *Women with Pap Test by Age Group and Geography Adjusted for Cervical Cancer and Hysterectomy for July 1, 2011 to December 31, 2014*

		<i>Age</i>							
		<i>18-20</i>	<i>21-24</i>	<i>25-29</i>	<i>30-39</i>	<i>40-49</i>	<i>50-59</i>	<i>60-69</i>	<i>21-69</i>
<b>Winnipeg - Churchill</b>	<b>Numerator</b>	7	12	21	47	31	32	8	151
	<b>Denominator</b>	8	19	28	59	51	64	18	239
	<b>Percent</b>	87.5%	63.2%	75.0%	79.7%	60.8%	50.0%	44.4%	63.2%
<b>Unknown</b>	<b>Numerator</b>	647	1369	1461	2270	1590	1044	586	8320
	<b>Denominator</b>	926	2573	4214	8468	5985	4002	2265	27507
	<b>Percent</b>	69.9%	53.2%	34.7%	26.8%	26.6%	26.1%	25.9%	30.2%
<b>Manitoba</b>	<b>Numerator</b>	9474	23813	30389	56253	54847	51435	31818	248555
	<b>Denominator</b>	14364	35695	42624	80440	80214	76219	52191	367383
	<b>Percent</b>	66.0%	66.7%	71.3%	69.9%	68.4%	67.5%	61.0%	67.7%

*Age calculated at first pap or midpoint of time period for those with no pap  
 Based on geography at time of data preparation  
 Includes women in ISIS covered by Manitoba Health at first date of time period  
 Adj. Screened includes women with Manitoba Health pap specimen date within time period,  
 but excludes women with cervical cancer diagnosed prior to first pap test  
 and excludes women with hysterectomy prior to first pap test  
 Excludes women with no pap test in time period who have cervical cancer diagnosis date or hysterectomy date prior to last date of time period*